

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/601,439	06/23/2003	Dz-Ching Ju	20002/16406	9124	
34431 7.	590 10/04/2006		EXAM	EXAMINER	
HANLEY, FLIGHT & ZIMMERMAN, LLC			YIGDALL, MICHAEL J		
20 N. WACKE	R DRIVE		<u></u>		
SUITE 4220			ART UNIT	PAPER NUMBER	
CHICAGO II 60606			2102		

DATE MAILED: 10/04/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	_			
Office Action Summary		10/601,439	JU, DZ-CHING				
		Examiner	Art Unit				
	·	Michael J. Yigdall	2192				
Period fo	The MAILING DATE of this communication apported in the plant of the plant is a second of the	pears on the cover sheet with the c	orrespondence address	_			
WHIC - External after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLICHEVER IS LONGER, FROM THE MAILING Dissions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. Poperiod for reply is specified above, the maximum statutory period or the toreply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status							
1)⊠	Responsive to communication(s) filed on 23 Ju	une 2003.					
·	· · · · · · · · · · · · · · · · · · ·						
3)□							
,—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims						
4) 🖂	Claim(s) <u>1-24</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)	Claim(s) is/are allowed.						
6)⊠	Claim(s) 1-24 is/are rejected.						
7) 🗌							
8)[Claim(s) are subject to restriction and/o	r election requirement.					
Applicati	on Papers						
9)[The specification is objected to by the Examine	er.					
10)🛛	The drawing(s) filed on 23 June 2003 is/are: a)⊠ accepted or b)□ objected to	by the Examiner.				
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
	Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	ected to. See 37 CFR 1.121(d).				
11)	The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.				
Priority ι	ınder 35 U.S.C. § 119						
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureau see the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage				
2) 🔲 Notic 3) 🔯 Inforr	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date 10/24/03.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite				

DETAILED ACTION

1. Claims 1-24 are pending. A priority date of June 23, 2003 is considered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-4 and 10-19 are rejected under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 6,260,190 to Ju ("Ju").

With respect to claim 1, Ju discloses a method of preserving exceptions in code reordering (see, for example, column 22, lines 3-11, and column 23, line 67 to column 24, line 4), the method comprising:

receiving a plurality of software instructions including a software instruction at a first location within the plurality of software instructions (see, for example, column 22, lines 43-51, which shows receiving a plurality of instructions including a load instruction at a first location);

determining if the software instruction is an excepting instruction (see, for example, column 23, lines 27-36, which shows determining if the load instruction is an excepting instruction);

inserting a control speculative version of the software instruction at a second location within the plurality of software instructions if the software instruction is an excepting instruction

Art Unit: 2192

(see, for example, column 23, lines 9-14, which shows inserting an eager-mode or control speculative version of the load instruction at a second location);

replacing the software instruction at the first location with a check instruction at the first location (see, for example, column 23, lines 14-16, which shows replacing the load instruction at the first location with a check instruction); and

generating a recovery block which branches from the check instruction, the recovery block including a copy of the software instruction (see, for example, column 23, lines 16-19; which shows generating a recovery block that branches from the check instruction, and column 23, lines 42-51, which shows that the recovery block includes a copy of the load instruction).

With respect to claim 2, the rejection of claim 1 is incorporated, and Ju further discloses that the software instruction comprises a load instruction (see, for example, column 22, lines 45-48, which shows the load instruction).

With respect to claim 3, the rejection of claim 1 is incorporated, and Ju further discloses that the second location is positioned for instruction execution earlier than the first location is positioned for instruction execution (see, for example, column 22, lines 52-54, which shows that the second location is earlier than the first location).

With respect to claim 4, the rejection of claim 1 is incorporated, and Ju further discloses that inserting a control speculative version of the software instruction at the second location comprises inserting a control speculative version of a load instruction (see, for example, column 23, lines 9-14, which shows inserting an eager-mode or control speculative version of the load instruction).

Page 4

With respect to claim 10, Ju discloses an apparatus for preserving precise exceptions in code reordering (see, for example, column 22, lines 3-11, and column 23, line 67 to column 24, line 4), the apparatus comprising:

a processor to execute a plurality of software instructions (see, for example, column 15, line 54-67, which shows that the apparatus comprises such a processor);

a memory device operatively coupled to the processor to store the plurality of software instructions (see, for example, column 16, line 62 to column 17, line 3, which shows that the apparatus comprises such a memory device);

a control speculation module operatively coupled to the processor, the control speculation module being structured to insert a control speculative version of a software instruction into the plurality of software instructions (see, for example, column 22, lines 52-54, and column 23, lines 9-14, which shows a control speculation module that inserts an eager-mode or control speculative version of an instruction into the plurality of instructions); and

an exception handler operatively coupled to the processor, the exception handler being structured to handle an exception associated with the control speculative version of the software instruction (see, for example, column 16, lines 29-46, which shows that the apparatus comprises such an exception handler).

With respect to claim 11, the rejection of claim 10 is incorporated, and Ju further discloses that the control speculation module inserts a check instruction into the plurality of software instructions (see, for example, column 23, lines 14-16, which shows that the control speculation module inserts a check instruction).

With respect to claim 12, the rejection of claim 11 is incorporated, and Ju further discloses that the control speculation module generates a recovery block which branches from the check instruction (see, for example, column 23, lines 16-19, which shows that the control speculation module generates a recovery block that branches from the check instruction).

With respect to claims 13-16, the claims are directed to an apparatus that corresponds to the method of claims 1-4 (see the rejection of claims 1-4 above).

With respect to claims 17-19, the claims are directed to a machine readable medium that corresponds to the method of claims 1-4 (see the rejection of claims 1-4 above).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 5-7 and 20-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ju in view of U.S. Patent No. 6,463,579 to McKinsey ("McKinsey") in view of U.S. Patent No. 7,065,750 to Babaian et al. ("Babaian").

With respect to claim 5, Ju discloses a method of preserving exceptions in code reordering (see, for example, column 22, lines 3-11, and column 23, line 67 to column 24, line 4), the method comprising:

Art Unit: 2192

receiving a plurality of instructions including a first instruction (see, for example, column 27, lines 58-65, which shows receiving a plurality of instructions including a first instruction).

Ju discloses moving a first instruction that is not an excepting instruction upward across a check instruction (see, for example, column 28, lines 10-51, which shows moving the first add instruction upward across a check instruction, and which shows that the load instruction is the excepting instruction), as in the following:

determining if the first instruction is an excepting instruction;

determining if the first instruction is to be moved upward across a check instruction;

Ju further discloses a second instruction that computes a previous value of a target register associated with an instruction (see, for example, column 27, lines 58-65, and column 28, lines 35-39, which shows that the second add instruction computes a previous value of the target register associated with the load instruction), but does not expressly disclose:

determining a second instruction in the plurality of instructions that computes a previous value of a target register associated with the first instruction if the first instruction is not an excepting instruction and the first instruction is to be moved upward across a check instruction;

determining if a source operand associated with the second instruction is available at the check instruction.

However, in an analogous art, McKinsey discloses generating recovery code for control and data speculation in every phase of compilation (see, for example, column 10, lines 45-52), and further discloses fully representing the definition and use instructions included in the recovery code (see, for example, column 7, lines 16-32). McKinsey further discloses determining if an instruction is data ready (see, for example, column 7, lines 45-50), so as to

Art Unit: 2192

prevent any non-speculative instructions from executing with speculative operands (see, for example, column 7, lines 62-65).

Therefore, in view of McKinsey's teachings, it would have been obvious to one of ordinary skill in the art at the time the invention was made to supplement Ju such that the above determinations are made, so as prevent any non-speculative instructions from executing with speculative operands.

Ju in view of McKinsey further discloses inserting an instruction into a recovery block to restore the value of a target register (see, for example, Ju, column 28, lines 33-35), but does not expressly disclose:

inserting a third instruction into the plurality of instructions to save the value of the target register if the source operand associated with the second instruction is not available at the check instruction; and

inserting a fourth instruction into a recovery block to restore the value of the target register.

However, in an analogous art, Babaian discloses saving the value of a target register before an excepting instruction and restoring the value of the target register in the recovery code, so as to minimize the impact of an exception on execution performance (see, for example, column 7, lines 56-67).

Therefore, in view of Babaian's teachings, it would have been obvious to one of ordinary skill in the art at the time the invention was made to supplement Ju such that a third instruction is inserted into the plurality of instructions to save the value of the target register if the source operand associated with the second instruction is not available at the check instruction, and a

Art Unit: 2192

fourth instruction is inserted into a recovery block to restore the value of the target register, so as to minimize the impact of an exception on execution performance.

With respect to claim 6, the rejection of claim 5 is incorporated, and Ju in view of McKinsey in view of Babaian further discloses inserting a copy of the second instruction into the recovery block if the source operand associated with the second instruction is available at the check instruction (see, for example, Ju, column 28, lines 10-13 and 48-51, which shows inserting a copy of the second add instruction into the recovery block).

With respect to claim 7, the rejection of claim 6 is incorporated, and Ju in view of McKinsey in view of Babaian further discloses that inserting a copy of the second instruction into the recovery block comprises inserting a copy of the second instruction into the recovery block ahead of a copy of the excepting instruction (see, for example, Ju, column 28, lines 33-35, which shows inserting a copy of the excepting load instruction into the recovery block, and note that in view of McKinsey, the copy of the second instruction is necessarily inserted ahead of the copy of the excepting load instruction to achieve the appropriate result).

With respect to claims 20-22, the claims are directed to a machine readable medium that corresponds to the method of claims 5-7 (see the rejection of claims 1-4 above).

6. Claims 8, 9, 23 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ju in view of McKinsey.

Art Unit: 2192

With respect to claim 8, Ju discloses a method of preserving exceptions in code reordering (see, for example, column 22, lines 3-11, and column 23, line 67 to column 24, line 4), the method comprising:

receiving a plurality of instructions including a first instruction (see, for example, column 27, lines 58-65, which shows receiving a plurality of instructions including a first instruction).

Ju discloses moving a first instruction that is not an excepting instruction downward across a check instruction (see, for example, column 28, lines 10-51, which shows moving the second add instruction downward across a check instruction, and which shows that the load instruction is the excepting instruction), as in the following:

determining if the first instruction is an excepting instruction;

determining if the first instruction is to be moved upward across a check instruction; and determining if the first instruction is to be moved downward across the check instruction.

Ju further discloses inserting a copy of the load instruction into a recovery block (see, for example, column 28, lines 33-35), but does not expressly disclose:

inserting a copy of the first instruction into a recovery block if (i) the first instruction is not an excepting instruction, (ii) the first instruction is not to be moved upward across a check instruction, and (iii) the first instruction is to be moved downward across a check instruction.

However, in an analogous art, McKinsey discloses generating recovery code for control and data speculation in every phase of compilation (see, for example, column 10, lines 45-52), and further discloses fully representing the definition and use instructions included in the recovery code (see, for example, column 7, lines 16-32). McKinsey further discloses inserting

the appropriate instructions into the recovery code for an instruction that crosses a check instruction (see, for example, column 8, lines 4-20).

Therefore, in view of McKinsey's teachings, it would have been obvious to one of ordinary skill in the art at the time the invention was made to supplement Ju such that a copy of the first instruction is inserted into a recovery block if (i) the first instruction is not an excepting instruction, (ii) the first instruction is not to be moved upward across a check instruction, and (iii) the first instruction is to be moved downward across a check instruction, so as to generate the appropriate recovery code for the plurality of instructions.

With respect to claim 9, the rejection of claim 8 is incorporated, and Ju in view of McKinsey further discloses that inserting a copy of the first instruction into the recovery block comprises inserting a copy of the first instruction into the recovery block ahead of a copy of the excepting instruction (see, for example, Ju, column 28, lines 33-35, which shows inserting a copy of the excepting load instruction into the recovery block, and note that in view of McKinsey, the copy of the first instruction is necessarily inserted ahead of the copy of the excepting load instruction to achieve the appropriate result).

With respect to claims 23 and 24, the claims are directed to a machine readable medium that corresponds to the method of claims 8 and 9 (see the rejection of claims 8 and 9 above).

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure (see the attached Notice of References Cited).

Art Unit: 2192

Any inquiry concerning this communication or earlier communications from the 8.

examiner should be directed to Michael J. Yigdall whose telephone number is (571) 272-3707.

The examiner can normally be reached on Monday through Friday from 7:30am to 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Tuan O. Dam can be reached on (571) 272-3695. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private

PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you

would like assistance from a USPTO Customer Service Representative or access to the

automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MY

Michael J. Yigdall

Page 11

Examiner

Art Unit 2192

mjy

TUAN DAM

SUPERVISORY PATENT EXAMINER